

KRIBIO




Swivel or fixed chair for waiting area or meeting room.

Versions:

Monocolore
One colour



Bicolore
Two colours



1° codice/1° code

2° codice/2° code

- **one-color upholstery**
- **two-colors upholstery** (the first code refers to the inside, the second one refers to the outside)

Shell: monocoque shell in steel tube with padding in fireproof expanded cold injected polyurethane
Density 60 min. Kg.m3. Seat width 48 cm and depth 46 cm. Backrest height cm 35
Overall shell width 58 cm

Bases

	APS 5-star base in black reinforced nylon Ø 660 mm (Ansi-Bifma X5.1-1993/8)		AL7 5-star base in die-cast polished aluminum Ø 650 mm
	APG 5-star base in grey nylon Ø 675 mm		AL6 5-star base in die-cast polished aluminum Ø 654 mm
	AL9 5-star base in die-cast aluminum, aluminium grey painted Ø 650 mm		APW 5-star base in white nylon Ø 675 mm
	AL3 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift		AL5 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift

	AL4 (not for tilting versions) 4-star base in die-cast aluminum Ø 730 mm. with chromed feet and chromed gas-lift		AWW 5 star base in die cast aluminium white painted Ø 654 mm, with WHITE GASLIFT .
	ANN 5-star base in die cast aluminium black painted Ø 654 mm		APN 5 star base with steel inner frame 25x30 mm th.2 mm, Ø 670 mm, cover in black polypropylene. (Ansi-Bifma X5.1-1993/8)
	APP 5 star black nylon base Ø 680 with dynamic DUO glides in nylon/wood felt. For fixed versions only.		
Castors			
	for APN and AL7 : self-braking soft castors Ø 50 mm		for APS, APG, APW, AL6, ANN and AL9 : self-braking soft castors Ø 65 mm
	for AL3 and AL5 : self-braking soft castors Ø 65 mm CHROMED		for AWW : self-braking soft castors Ø 65 mm WHITE

For swivel bases : Seat height adjustment through gas-spring, cone Ø 28 mm.

Fixed frames:

- **4-legged frame in tube steel** Ø 20 mm, thickness 2 mm, aluminum +transparent painted finish with 4 feet
- **4-legged frame in tube steel** Ø 20 mm, thickness 2 mm, aluminum +transparent painted finish with 4 self-bracket soft castors Ø 50 mm
- **4-legged frame in maple wood** natural finish
- **Sled closed frame** black painted (**AN**), aluminum painted (**AV**), chromed (**ACC**)



Swivel frames:

- 4 leg pyramidal base Ø 72 in polished aluminium




- 4 leg nylon pyramidal base in black or white colour



Certificates: (on request) Italian fire test (homologation) in class 1IM with Trevira fabric cat. C and Planet imitation leather cat. A

Dimensions:



MAY 2023