

Rivestimenti e finiture

Upholsteries and finishes

AVVERTENZE GENERALI

I colori chiari, non devono essere messi a contatto con tessuti e capi d'abbigliamento trattati con coloranti non fissati, o con scarse solidità di tintura, onde evitare macchie ed aloni di coloranti di cui non possiamo garantire la pulitura.

I tessuti spalmati (ecopelli) possono essere sanificati superficialmente come da decreto del Ministero della Salute con soluzioni di acqua e alcool etilico al 70% e prodotti disinfettanti commerciali pronti all'uso. Si consiglia di provare il prodotto su un angolo nascosto della superficie da pulire.

Evidenziamo speciali trattamenti, antimicrobici, antibatterici e antimicotici, che caratterizzano da sempre alcuni nostri rivestimenti, per creare un'efficace barriera difensiva contro batteri, acari e funghi, uniti ad eccezionali caratteristiche di praticità e durata nel tempo.

GENERAL WARNINGS

To avoid permanent stains, the lighter colours of the article should not be brought into contact with textiles and clothing unfixed dyes. We cannot guarantee the ability to remove unknown dyes from light coloured product.

The coated fabrics (eco-leathers) can be superficially sanitized as per the Decree of the Italian Ministry of Health with solutions of water and 70% ethyl alcohol and commercial disinfectant products ready for use. We suggest to test the product on a small hidden corner of the surface you need to clean.

We focus your attention on special antimicrobial, antibacterial and antifungal treatments, which have always distinguished some of our coatings to create a valid defensive barrier against bacteria, mites and fungi, combined with exceptional features of practicality and durability.

Cat. A

ECOPELLE
ECOLEATHER

Resistenza alla fiamma - Fire resistance
Certificato Classe 1 UNI 9175 CL. 1 IM
87,5% P.V.C. plastificato - 12,5% cotone
(Martindale 100.000)



PLANET



A 31 F




A 32 F




A 29 F




A 37 F



A 28 F



A 30 F



A 35 F



A 26 F




A 34 F



A 38 F



A 39 F



A 36 F



A 27 F

Cat. C

ECOPELLE
ECOLEATHER

SKILL/SECRET
Resistenza alla fiamma - Fire resistance
Certificato Classe 1 UNI 9175 CL. 1IM - EN 1021 - BS 5852
69% P.V.C. plastificato - 30% cotone - 1% poliuretano
(Martindale 50.000)



SKILL




C 40 F




C 41 F



C 42 F




C 43 F




C 44 F




C 45 F



C 46 F



C 47 F




C 48 F




C 49 F



C 50 F



C 51 F



C 52 F


Cat. C

TESSUTO
FABRIC


Material: 98% post consumer recycled polyester - 2% polyester
Flammability: EN 1021 1&2 · BS 5852 0&1 CA · TB 117-2013.
Will also pass other flammability standards.
Flame retardant performance is dependent upon the foam used.
Contain no Flame Retardant chemical.
Abrasion resistance: rubs · BS EN 14465 · BS EN ISO 12947-2 (Martindale 100.000)




CURA




C 30 C




C 31 C




C 32 C




C 33 C




C 34 C




C 35 C



C 36 C




C 37 C



C 38 C

Cat. C
TESSUTO
FABRIC


Tessuto altamente ignifugo
Certificato Classe 1 Ministero dell'Interno
Fireproof fabric - Tissu non feu
Brandfester Bezug - Tela ignifuga
100% Poliestere Trevira CS
(Martindale 70.000)




C 381




C 38 T




C 383



C 380




C 385




C 38 L



C 38 H




C 382




C 386




C 387




C-38



C 384



C 38 A



C 388



C 38 G



C 38 M




C 38 P

Cat. C
TESSUTO
FABRIC


Tessuto altamente ignifugo
Certificato Classe 1 Ministero dell'Interno
Fireproof fabric - Tissu non feu
Brandfester Bezug - Tela ignifuga
100% Xtreme FR®
(Martindale 100.000)




C 335




C 336



C 332



C 334




C 329




C 337




C 327 (Dark brown)




C 340




C 325




C 326



C 330




C 331



C 324




C 328



C 349



C 333



C 338


Cat. D

TESSUTO
FABRIC

Post consumer recycled polyester
98% Polyester 2%
Flammability EN 1021 1&2
BS 5852 O&1 - CA TB 117-2013
(Martindale 100.000)




BOND™




D 51B




D 52B




D 53B



D 54B



D 55B




D 56B



D 57B



D 58B



D 59B

Cat. D

TESSUTO
FABRIC

Resistenza alla fiamma - Fire resistance
Certificato Classe 1 IM EN 1021 Part. 1-2
75% Lana - 25% Poliammide / 75% Wool - 25% Polyamide
(Martindale 100.000)



FENICE



D 501



D 502



D 503



D 504



D 505



D 506



D 507



D 508



D 509


Cat. D

TESSUTO
FABRIC


100% post-consumer recycled polyester
Abrasion: rubs (EN ISO 12947-2) Martindale 120.000
Flammability: BS EN 1021 1&2 Cigarette and Match
CA TB 117-2013




CYBER




D 40Y




D 41Y




D 42Y




D 43Y




D 44Y




D 45Y



D 46Y



D 47Y



D 48Y

Cat. D
ECOPELLE
ECOLEATHER


Trattamento antimicrobico - Antimicrobial treatment
Impermeabilità-Waterproof
Resistenza fiamma-Fire resistance
UNI 9175/87 CL.IIM - EN 1021 BS 5852
63% Poliuretano / Polyurethane - 29% Cotone - Cotton 8% PES
IMO A. 652
(Martindale 150.000)



D 420




D 426




D 430




D 427



D 431




D 421



D 423




D 432




D 422




D 425



D 428 (Dark brown)



D 424



D 429

Cat. D
ECOPELLE
ECOLEATHER

Trattamento antimicrobico - Antimicrobial treatment
Impermeabilità-Waterproof
Resistenza fiamma-Fire resistance
UNI 9175/87 CL.IIM - EN 1021 BS 5852
63% Poliuretano / Polyurethane - 29% Cotone - Cotton 8% PES
IMO A. 652
(Martindale 150.000)




D 470




D 471




D 472




D 473



D 474



D 475



D 476



D 477



D 478



D 479



D 480 (Dark brown)




D 481




D 482

Cat. D
TESS. TECNICO
TECHNICAL FABRIC


Tessuto ignifugo - Fireproof fabric - Tissu non feu - Brandfester Bezug - Tela ignifuga
Classe IIM - DIN 4102 B2 - NF P 92-503/M2
100% Vinyl-compound - 100% Polyester Ultra Hi-Loft™ Backing
PERMABLOK® - Waterproof
(Martindale > 100.000)




D 801




D 802




D 803




D 804




D 805




D 806



D 807



D 808




D 809


Cat. D

TESSUTO
FABRIC


Material: 100% post consumer recycled poliester
Flammability: EN 1021 1&2 - BS 5852 0&1 Classe 1 - CA TB 117-2013.
Will also pass other flammability standards.
Flame retardant performance is dependent upon the foam used.
Abrasion resistance: rubs - EN ISO 12947-2 (Martindale 100.000)




D 40R




D 41R



D 42R




D 43R




D 44R




D 45R



D 46R



D 47R



D 48R

Cat. P

VERA PELLE
GENUINE LEATHER

Vera pelle - Genuine leather
Cuir - Leder - Piel auténtica

**A richiesta disponibili altri colori.
By request any other colours available.**



P 901




P 915



P 920




P 917




P 909




P 905



P 911



P 910




P 912




P 908



P 902 (Dark brown)



P 914



P 903

ECOPELLE
ECOLEATHER

Solo per schienale trapuntato modello
Only for quilted back model

KLINT

SKILL/SECRET
Resistenza alla fiamma - Fire resistance
Certificato Classe 1 UNI 9175 CL. 1IM - EN 1021 - BS 5852
69% P.V.C. plastificato - 30% cotone - 1% poliuretano
(Martindale 50.000)



40T



41T



49T



52T

Solo per modello
Only for model
KEY LINE

Rete-Mesh-Resille-Membran-Red
70% Polyester - 30% Polyamid
Flammability: EN 1021:2014 part 1
(cigarette test)
(Martindale 170.000)


4902
SHRINX

Solo per modello
Only for model
**KUPER, KARMA,
KORIUM, KOSMO**


Rete - Mesh - Resille
Membran - Red
64% PL - 36% PA
Martindale 100,000




B BEIGE




G GRIGIO/GREY




V VERDE/GREEN




N NERO/BLACK



D 218




D 221



D 222

KICCA KALEA

COLORI POLIPROPILENE
POLYPROPYLENE COLOURS




KICCA ONE

COLORI POLIPROPILENE RINFORZATO FIBRA VETRO
FIBERGLASS-REINFORCED POLYPROPYLENE COLORS



KICCA ONE 2ND LIFE

POLIPROPILENE RICICLATO - RECYCLED POLYPROPYLENE



KRIZIA

COLORI POLICARBONATO
POLYCARBONATE COLOURS




KLIA

COLORI POLIPROPILENE RINFORZATO FIBRA VETRO
FIBERGLASS-REINFORCED POLYPROPYLENE COLORS




KUARK

COLORI POLIETILENE
POLYETHYLENE COLOURS



KENSHO

COLORI PIANI-BASI
TOPS-BASES COLOURS



KAPÌO

COLORI PIANI-BASI
TOPS-BASES COLOURS

