

KALEA




Stackable multipurpose chair in coloured polypropylene.

Seat-back : high quality polypropylene monocoque shell thickness 7 mm., with external rear back in glossy finish.
Shells are coloured during the injection process with no heavy metal content in accordance with the Reach and Ross international standards.
The shell is fastened to the frame through 4-special transparent stripes in polycarbonate.

Available in **one-colour** as follows:

CREAM – ORANGE – BLUE – GREY- TURQUOISE– TURTLE DOVE - GREEN– RED– BLACK.



Only by request :  special fire-retardant CREAM shell .

Or in **two-colours** as follows:

Inner side *external*



CREAM – ORANGE – BLUE – GREY- TURQUOISE– TURTLE DOVE - GREEN– RED– BLACK.

Versions:



• **POLYPROPYLENE SHELL (one-color or two-colors)**



• **POLYPROPYLENE SHELL WITH PAD SEAT (one-color or two-colors SHELL)**



• **PADDED front SEAT AND BACK (one-color shell)**



• **PADDED front SEAT AND BACK with LINEAR STITCHING (one-color shell)**

Padded versions: polypropylene inner seat shell, padded in fireproof expanded polyurethane density 50kg/m³, thickness 5 mm. and upholstered.

Options :



- off-white under-seat polypropylene shell with linking system in chromed steel.




- off-white under-seat polypropylene shell to stack padded chairs with 4-legs or sled frame.




- Trolley : in steel black painted.

Fixed frames :




- **4-legs frame without arms** in steel Ø 14x2 ASFORM available in the following finishes : **aluminium painted (AV), white painted (AB), black painted (AN) or chromed (ACC)** with adjustable nylon or chromed glides.
- **4 legs in MAPLE WOOD** with felt glides.



- **4-legs frame with arms** in steel Ø 14x2 ASFORM available in the following finishes : **aluminium painted (AV), white painted (AB), black painted (AN) or chromed (ACC)** with adjustable nylon or chromed glides.



- **4-legs frame with right arm and black nylon writing tablet:** in steel Ø 14x2 ASFORM available in the following finishes : **aluminium painted (AV), black painted (AN) or chromed (ACC)** with adjustable nylon or chromed glides. Black writing tablet cm 29x 23,5 x th. 0,6 mm. (for right side only)




- **sled base** (no arms) in steel Ø 14x2 ASFORM **aluminium painted (AV), white painted (AB), black painted (AN) or chromed (ACC).**

(non impilabili/not stackables)



- **Crossed sled base (NOT STACKABLE)** in steel Ø 14x2 ASFORM **aluminium painted (AV), white painted (AB), black painted (AN), turquoise painted (PP), turtle-dove painted (TT), bronze painted (BR) or chromed (ACC).**

Swivel frames :



- **4-legs swivel base** in **chromed, white or black painted** cone-shaped steel, on feet or castors
- **4-legs swivel base** in **chromed steel with chromed arms**, cone-shaped on feet or castors



- **4-legs swivel base** in **white painted steel with white arms**, cone-shaped on feet or castors
- **4-legs swivel base** in **black painted steel with black arms**, cone-shaped on feet or castors

- **4-legs swivel base** like above, on castors but with **GAS SPRING**




kastel®
Comfort and design


KASTEL S.R.L.
Via Friuli, 35/37
31020 San Vendemiano (TV) – ITALIA

T +39 0438 401380
F +39 0438 401680
kastel@kastel.it


www.kastel.com



- **5-stars swivel base (APN, APS, APW, APG, AL5, AL6, AL7, AL3, AL9, ANN, AL4)** adjustable in height by gas spring, on castors (or feet on request) with or without **chromed arms**



- **rounded chromed swivel pedestal** Ø 480 mm. gas spring adjustment
- **rounded chromed swivel pedestal** Ø 480 mm. gas spring adjustment with **CHROMED ARMS**



- swivel base on **6 castors** in grey reinforced polypropylene **with storage** and **writing tablet** in white laminate and edge in black polyurethane **360° rotating**.

Swivel bases:



APN 5 star base with steel inner frame 25x30 mm th.2 mm Ø 670 mm, cover in black polypropylene. (Ansi-Bifma X5.1-1993/8)



AL7 5-star base in die-cast polished aluminum Ø 650 mm



for **APN e AL7**: self-braking soft castors Ø 50 mm



APS 5-star base in black reinforced nylon Ø 660 mm



AL6 5-star base in die-cast polished aluminum Ø 654 mm.



for **APS, APG, APW, AL6, ANN e AL9**: self-braking soft castors Ø 65 mm



APG 5-star base in grey nylon Ø 675 mm



APW 5-star base in white nylon Ø 675 mm



AL9 5-star base in die-cast aluminum, aluminum grey painted Ø 650 mm



ANN 5 star base in die cast aluminium black painted Ø 654 mm



AL3 5-star base in die-cast polished aluminum Ø 654 mm with **chromed gaslift**



AL5 5-star base in die-cast polished aluminum Ø 654 mm with **chromed gaslift**




for **AL3 e AL5** self-braking soft castors Ø 65 mm **CHROMED**




AL4 (not for tilting versions) 4-star base in die-cast aluminum Ø 730 mm. with **chromed feet** and **chromed gas-lift**


Stools :




- **4-legs fixed frame** Ø 14x2 ASFORM with footrest on 3 sides
white painted (AB), aluminium painted (AV), black painted (AN) or chromed (ACC).
H 72 cm. On request height 65 cm: minimum quantity 10 pieces.
- **Sled frame** Ø 14x2 ASFORM with footrest on 1 side
white painted (AB), black painted (AN), aluminium painted (AV), or chromed (ACC).
- **4-legs swivel chromed steel base** with chromed footrest .




- **round chromed steel base** Ø 480 mm. with gas elevation and footrest in chromed steel.
- **round chromed steel base** Ø 280 mm. **FIXABLE TO THE FLOOR** with gas elevation and footrest in chromed steel.



- **Swivel** with base on glides, with chromed footrest;




- **Swivel with round flat base** Ø 480 mm. With high gas- spring for seat height adjustment and footrest, white painted, black painted or chromed (only for polypropylene or polypropylene with upholstered seat versions)



- **Fixed slope sled base** in steel aluminium painted (AV), white painted (AB), black painted (AN) or chromed (ACC) Ø 14x2 ASFORM with footrest in the inner side.

Beams:

in aluminum painted steel 80x 40 thickness 1,5 mm:



- **Type A legs in aluminum painted steel**
- **Type B legs in die-cast polished aluminum**



Optional for die-cast aluminum legs: **pair of glides fixable to the floor.**

 Junction: to join beams



End and linking arm in **polished aluminum**.



Middle position arm in **polished aluminum**.



Top table: in black MDF



Top table: in white or anthracite HPL

Certificates: in accordance to the European standard EN13761 (4-legs version)