

KEY SMART



Ergonomic task chair.

Seat: plastic material

Backrest: flexible fiberglass reinforced polypropylene
available in black or white colour

Padding: seat and backrest made of expanded polyurethane
density 40 kg/m³ for the seat, 40/25 kg/m³ for the backrest

Lumbar support: plastic material, height adjustable (13 cm)

Versions:

- black or white backrest, without upholstery
- black or white backrest, with upholstery
- black or white backrest, with upholstery and lumbar support (the lumbar support cannot be mounted afterwards and it is not available for the stool version)



Schienale bianco
White backrest
RAL 9003



Schienale imbottito
Padded backrest



Schienale imbottito
con regolazione
appoggio lombare
Padded backrest with
adjustable lumbar
support



Schienale nero
Black backrest



Schienale imbottito
Padded backrest

Armrests:



white nylon fixed armrests (RAL 9003)



black nylon fixed armrests



white nylon height adjustable armrests
arm pad in black soft polyurethane (PU PAD)



black nylon height adjustable armrests
arm pad in black soft polyurethane (PU PAD)

Bases			
	APS 5-star base in black reinforced nylon Ø 660 mm (Ansi-Bifma X5.1-1993/8)		AL7 5-star base in die-cast polished aluminum Ø 650 mm
	APG 5-star base in grey nylon Ø 675 mm		AL6 5-star base in die-cast polished aluminum Ø 654 mm
	AL9 5-star base in die-cast aluminum, aluminium grey painted Ø 650 mm		APW 5-star base in white nylon Ø 675 mm
	AL3 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift		AL5 5-star base in die-cast polished aluminum Ø 654 mm with chromed gaslift
	AL4 (not for tilting versions) 4-star base in die-cast aluminum Ø 730 mm. with chromed feet and chromed gas-lift		AWW 5 star base in die cast aluminium white painted Ø 654 mm, with WHITE GASLIFT .
	ANN 5-star base in die cast aluminium black painted Ø 654 mm		APN 5 star base with steel inner frame 25x30 mm th.2 mm, Ø 670 mm, cover in black polypropylene. (Ansi-Bifma X5.1-1993/8)
	APP 5 star black nylon base Ø 680 with dynamic DUO glides in nylon/wood felt. For fixed versions only.		
Castors			
	for AL7: soft braked castors Ø 50 mm		for APS, APG, APW, AL6, ANN and AL9: soft braked castors Ø 65 mm

 040109* (Set n.5)	for AL3 e AL5: soft braked CHROMED castors Ø 65 mm	 041400	for AWW: soft braked WHITE castors Ø 65 mm
---	---	--	---

Task chair version:

Seat height adjustment: by means of a gas piston, cone Ø 28 mm

Mechanisms:



Sedile con alzo gas
Seat height adjustment

- Fixed plate in black painted steel



Meccanismo sincron
autoregolante
Self-weighting synchron
mechanism

- 1 Alzo gas seduta
- 2 Blocco/sblocco oscillazione
- 3 Traslazione sedile

- Self-weighting synchron mechanism with tension adjustment in 3 positions



Meccanismo sincron
autoregolante - sedile con
traslatore
Self-weighting synchron
mechanism - slide system
seat

- Self-weighting synchron mechanism and seat with slide system with tension adjustment in 3 positions

Stool version:

Seat height adjustment: by means of a gas piston, cone Ø 28 mm

Mechanism:



Sedile con alzo gas
Seat height adjustment

Fixed plate in black painted steel

Footrest:



Poggiapiedi regolabile in altezza
Height adjustable footrest

Footrest in steel and plastic, adjustable by hand

N.B.: backrest with lumbar support not available for the stool version

Certificates:



In corso/in progress
Normativa europea EN 1335-1:2020 TIPO B



A richiesta Omologazione al fuoco classe 1IM per
versione con schienale imbottito e tessuto Trevi
Fire resistance Italian 1IM homologation on request
(version with padded backrest and Trevi fabric)

Dimensions:



May 2021